

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## Epithalon - 50mg

Tested for: RWB Peptides

COA #: COA-2026-62MUOS

Lot Number: RWBET50-1

Labeled Content: 50mg

Volume: 3mL

Analysis Date: 08/17/2026

Appearance: Good

Volume: 3mL

Date Received: 08/13/2026

Method: Purity, Identity & Quantitation (HPLC)

PASS



Scan to verify  
authenticity at ils-lab.com  
Access Code: CB7YK9G5

|                  |                |               |
|------------------|----------------|---------------|
| Identity         | Peptide Purity | Fentanyl Free |
| <b>Epithalon</b> | <b>99.11%</b>  |               |


### Purity, Identity & Quantitation (HPLC)

| Analyte               | Specification                | Result       | Unit | Status |
|-----------------------|------------------------------|--------------|------|--------|
| Peptide Purity (HPLC) | >= 95.0%                     | 99.11%       | %    | PASS   |
| Net Peptide Content   | Report Only                  | 52.9         | mg   | N/A    |
| Identity (HPLC-RTM)   | Epithalon                    | Confirmed    | -    | PASS   |
| Fentanyl Screen       | Immunoassay, 50 ng/mL cutoff | Not Detected | -    | PASS   |



Epithalon 50mg - RWBET50-1

### HPLC Chromatogram



Epithalon 50mg - RWBET50-1: UV Chromatogram

### Notes & Methodology

- Date Tested: 08/17/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Epithalon by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



*Dr. Greg Kalyuzhny*

Dr. Greg Kalyuzhny  
Lab Director  
8/17/2026

COA #: COA-2026-62MUOS

Access Code: CB7YK9G5

Verify: portal.ils-lab.com

Issued: 8/17/2026